

EPL Monitoring Data Record

Spring Farm Parkway Stage 1
June 2022 - Present



Introduction

Transport for NSW has appointed Georgiou Group Pty Ltd to deliver the Spring Farm Parkway Stage 1. The proposed project will provide a new four lane divided road extending about one kilometre connecting Menangle Road to Menangle Park Urban Release Area including an interchange over the Hume Motorway with City facing on and off ramps. Georgiou holds an Environment protection licence (EPL 21673) for road construction <10km with the excavation of $\geq 50,000$ tonnes of material.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Jun-22

Monitoring Type: Water Quality Monitoring												
Basin ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
N/A	N/A	N/A	40.00	N/A	N/A	N/A	6.5-8.5	N/A	NV	N/A	per discharge	basin not construction

Abbreviations:												
mg/L = Milligrams per litre		N/A = Not Applicable		NV = None Visible		V = Visible						
DNS = Did Not Sample		(cor) = NTU/TSS correlation		ND = No Discharge		PH = Acidic/ Alkiline						

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

(a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and

(b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Jul-22

Monitoring Type: Water Quality Monitoring												
Basin ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
N/A	N/A	N/A	40.00	N/A	N/A	N/A	6.5-8.5	N/A	NV	N/A	per discharge	basin not construction

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:
 (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
 (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Aug-22

Monitoring Type: Water Quality Monitoring												
Basin ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
N/A	N/A	N/A	40.00	N/A	N/A	N/A	6.5-8.5	N/A	NV	N/A	per discharge	basins not construction

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

(a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and

(b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Sep-22

Monitoring Type: Water Quality Monitoring												
Basin ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
N/A	N/A	N/A	40.00	N/A	N/A	N/A	6.5-8.5	N/A	NV	N/A	per discharge	basins not constructed

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

(a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and

(b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Oct-22

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP2	18/10/2022	18/10/2022	40.00	27.9	6.5-8.5	7.16	NV	NV	per discharge	Active
LDP2	19/10/2022	19/10/2022	40.00	20.6	6.5-8.5	7.31	NV	NV	per discharge	Active
LDP2	26/10/2022	26/10/2022	40.00	36.2	6.5-8.5	7.2	NV	NV	per discharge	Active
LDP2	27/10/2022	27/10/2022	40.00	21.8	6.5-8.5	7.1	NV	NV	per discharge	Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active

Abbreviations:				
mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible	
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline	

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

(a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and

(b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Nov-22

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	15/11/2022	15/11/2022	40.00	29.4	6.5-8.5	7.1	NV	N/A	per discharge	Active
LDP2	8/11/2022	8/11/2022	40.00	26.8	6.5-8.5	7.0	NV	NV	per discharge	Active
LDP2	15/11/2022	15/11/2022	40.00	37.8	6.5-8.5	7.1	NV	NV	per discharge	Active
LDP3	15/11/2022	15/11/2022	40.00	38.2	6.5-8.5	7.1	NV	N/A	per discharge	Active
LDP4	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active

Abbreviations:				
mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible		V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge		PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

(a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and

(b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Dec-22

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	ND	ND	40.00	ND	6.5-8.5	ND	NV	ND	per discharge	Active - no discharge
LDP2	ND	ND	40.00	ND	6.5-8.5	ND	NV	ND	per discharge	Active - no discharge
LDP3	ND	ND	40.00	ND	6.5-8.5	ND	NV	ND	per discharge	Active - no discharge
LDP4	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Jan-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	ND	ND	40.00	ND	6.5-8.5	ND	NV	ND	per discharge	Active - no discharge
LDP2	ND	ND	40.00	ND	6.5-8.5	ND	NV	ND	per discharge	Active - no discharge
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	11/01/2023	11/01/2023	40.00	23.5	6.5-8.5	7.15	NV	NV	per discharge	Active
LDP4	30/01/2023	30/01/2023	40.00	24	6.5-8.5	4.6	NV	NV	per discharge	Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	11/01/2023	11/01/2023	40.00	19.6	6.5-8.5	7.66	NV	NV	per discharge	Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Feb-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	10/02/2023	10/02/2023	40.00	39.4	6.5-8.5	7.89	NV	NV	per discharge	Active
LDP2	20/02/2023	20/02/2023	40.00	13.18	6.5-8.5	7.4	NV	NV	per discharge	Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	10/02/2023	10/02/2023	40.00	37.1	6.5-8.5	7.65	NV	NV	per discharge	Active
LDP4	20/02/2023	20/02/2023	40.00	8.3	6.5-8.5	7.6	NV	NV	per discharge	Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	7/02/2023	7/02/2023	40.00	7.33	6.5-8.5	8.49	NV	NV	per discharge	Active
LDP7	13/02/2023	13/02/2023	40.00	30.4	6.5-8.5	8.29	NV	NV	per discharge	Active
LDP7	20/02/2023	20/02/2023	40.00	6.24	6.5-8.5	8.45	NV	NV	per discharge	Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	10/02/2023	10/02/2023	40.00	39.8	6.5-8.5	6.91	NV	NV	per discharge	Active

Abbreviations:				
mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible		V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge		PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

(a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and

(b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Mar-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	24/03/2023	24/03/2023	40.00	29	6.5-8.5	7.6	NV	NV	per discharge	Active
LDP1	27/03/2023	27/03/2023	40.00	24	6.5-8.5	6.9	NV	NV	per discharge	Active
LDP1	29/03/2023	29/03/2023	40.00	19	6.5-8.5	6.8	NV	NV	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	10/03/2023	10/03/2023	40.00	16	6.5-8.5	7.4	NV	NV	per discharge	Active
LDP4	27/03/2023	27/03/2023	40.00	32	6.5-8.5	7.4	NV	NV	per discharge	Active
LDP4	29/03/2023	29/03/2023	40.00	23	6.5-8.5	7.5	NV	NV	per discharge	Active
LDP5	22/03/2023	22/03/2023	40.00	29	6.5-8.5	7.6	NV	NV	per discharge	Active
LDP5	27/03/2023	27/03/2023	40.00	18	6.5-8.5	7.4	NV	NV	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	7/03/2023	7/03/2023	40.00	15.5	6.5-8.5	8.3	NV	NV	per discharge	Active
LDP7	14/03/2023	14/03/2023	40.00	11.4	6.5-8.5	8.0	NV	NV	per discharge	Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active

LDP10	27/03/2023	27/03/2023	40.00	16	6.5-8.5	7.2	NV	NV	per discharge	Active
-------	------------	------------	-------	----	---------	-----	----	----	---------------	--------

Abbreviations:										
mg/L = Milligrams per litre		N/A = Not Applicable		NV = None Visible		V = Visible				
DNS = Did Not Sample		(cor) = NTU/TSS correlation		ND = No Discharge		PH = Acidic/ Alkiline				

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:
(a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
(b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Apr-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	21/04/2023	21/04/2023	40.00	16	6.5-8.5	6.9	NV	NV	per discharge	Active
LDP1	27/04/2023	27/04/2023	40.00	29	6.5-8.5	6.8	NV	NV	per discharge	Active
LDP1	28/04/2023	28/04/2023	40.00	12	6.5-8.5	7.5	NV	NV	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	21/04/2023	21/04/2023	40.00	22	6.5-8.5	7.3	NV	NV	per discharge	Active
LDP5	4/04/2023	4/04/2023	40.00	29	6.5-8.5	7.8	NV	NV	per discharge	Active
LDP5	27/04/2023	27/04/2023	40.00	21	6.5-8.5	8.4	NV	NV	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active - water reused onsite
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	NV	per discharge	Active - water reused onsite

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	May-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	18/05/2023	18/05/2023	40.00	9.05	6.5-8.5	7.41	NV	NV	per discharge	Active
LDP1	9/05/2023	9/05/2023	40.00	17.6	6.5-8.5	6.8	NV	NV	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	9/05/2023	9/05/2023	40.00	15.3	6.5-8.5	6.7	NV	NV	per discharge	Active
LDP4	12/05/2023	12/05/2023	40.00	36	6.5-8.5	8.1	NV	NV	per discharge	Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	NV	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	1/05/2023	1/05/2023	40.00	11.63	6.5-8.5	8.37	NV	N/A	per discharge	Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	NV	per discharge	Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Jun-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	NV	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	NV	per discharge	Active
LDP5	2/06/2023	2/06/2023	40.00	6.9	6.5-8.5	8.43	NV	NV	per discharge	Active
LDP5	19/06/2023	19/06/2023	40.00	11.5	6.5-8.5	8.4	NV	NV	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	NV	per discharge	Active

Abbreviations:										
mg/L = Milligrams per litre		N/A = Not Applicable		NV = None Visible		V = Visible				
DNS = Did Not Sample		(cor) = NTU/TSS correlation		ND = No Discharge		PH = Acidic/ Alkiline				

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

(a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and

(b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Jul-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Aug-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP2	21/08/2023	21/08/2023	40.00	18.4	6.5-8.5	8.12	NV	NV	per discharge	Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	21/08/2023	21/08/2023	40.00	11.3	6.5-8.5	8.16	NV	NV	per discharge	Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Sep-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	25/09/2023	25/09/2023	40.00	16.8	6.5-8.5	7.5	NV	NV	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	25/09/2023	25/09/2023	40.00	21.5	6.5-8.5	7.3	NV	NV	per discharge	Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	25/09/2023	25/09/2023	40.00	11.3	6.5-8.5	7.9	NV	NV	per discharge	Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Oct-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	16/10/2023	16/10/2023	40.00	18.3	6.5-8.5	7.8	NV	NV	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	16/10/2023	16/10/2023	40.00	21.8	6.5-8.5	7.9	NV	NV	per discharge	Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Nov-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	6/11/2023	6/11/2023	40.00	23	6.5-8.5	7.8	NV	NV	per discharge	Active
LDP1	11/11/2023	11/11/2023	40.00	16	6.5-8.5	7.3	NV	NV	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	6/11/2023	6/11/2023	40.00	25	6.5-8.5	7.6	NV	NV	per discharge	Active
LDP4	11/11/2023	11/11/2023	40.00	28	6.5-8.5	7.9	NV	NV	per discharge	Active
LDP5	6/11/2023	6/11/2023	40.00	24	6.5-8.5	7.1	NV	NV	per discharge	Active
LDP5	11/11/2023	11/11/2023	40.00	23	6.5-8.5	7.7	NV	NV	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	6/11/2023	6/11/2023	40.00	19	6.5-8.5	7.4	NV	NV	per discharge	Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Dec-23

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	4/12/2023	4/12/2023	40.00	17	6.5-8.5	7.4	NV	NV	per discharge	Active
LDP1	21/12/2023	21/12/2023	40.00	33	6.5-8.5	7.9	NV	NV	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	21/12/2023	21/12/2023	40.00	35	6.5-8.5	6.9	NV	NV	per discharge	Active
LDP5	4/12/2023	4/12/2023	40.00	34	6.5-8.5	7.96	NV	NV	per discharge	Active
LDP5	21/12/2023	21/12/2023	40.00	26	6.5-8.5	7.4	NV	NV	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	4/12/2023	4/12/2023	40.00	21	6.5-8.5	7.8	NV	NV	per discharge	Active
LDP10	21/12/2023	21/12/2023	40.00	17	6.5-8.5	7.4	NV	NV	per discharge	Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Jan-24

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	2/01/2024	2/01/2024	40.00	34	6.5-8.5	6.9	NV	NV	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP5	2/01/2024	2/01/2024	40.00	35	6.5-8.5	7.8	NV	NV	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	2/01/2024	2/01/2024	40.00	28	6.5-8.5	7.4	NV	NV	per discharge	Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Feb-24

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	5/02/2024	5/02/2024	40.00	16	6.5-8.5	7.1	NV	NV	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	5/02/2024	5/02/2024	40.00	19	6.5-8.5	6.9	NV	N/A	per discharge	Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	NV	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	5/02/2024	5/02/2024	40.00	8	6.5-8.5	7.6	NV	NV	per discharge	Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Mar-24

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP5	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active

Abbreviations:

mg/L = Milligrams per litre	N/A = Not Applicable	NV = None Visible	V = Visible
DNS = Did Not Sample	(cor) = NTU/TSS correlation	ND = No Discharge	PH = Acidic/ Alkiline

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

- (a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and
- (b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.

Environment Protection Licence Monitoring Data

Project Name:	SPRING FARM PARKWAY STAGE 1 UPGRADE
Environment Protection Licence No:	21673
Link to Public Register on EPA website:	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=246161&SYSUID=1&LICID=21673
Premise Address:	NEAR THE INTERSECTION OF M31 HUME HIGHWAY AND MENANGLE ROAD, CAMPBELLTOWN, NSW, 2560
Monitoring Month:	Apr-24

Monitoring Type: Water Quality Monitoring										
Licence Discharge Point ID	Date Sampled	Date Data Obtained	Turbidity (NTU)		pH		Oil & Grease (Visual)		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
LDP1	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP2	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP3	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP4	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP5	16/04/2024	16/04/2024	40.00	5.2	6.5-8.5	7.9	NV	NV	per discharge	Active
LDP5	23/04/2024	23/04/2024	40.00	16.1	6.5-8.5	7.3	NV	NV	per discharge	Active
LDP6	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP7	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP8	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP9	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Not Active
LDP10	N/A	N/A	40.00	N/A	6.5-8.5	N/A	NV	N/A	per discharge	Active

Abbreviations:										
mg/L = Milligrams per litre		N/A = Not Applicable		NV = None Visible		V = Visible				
DNS = Did Not Sample		(cor) = NTU/TSS correlation		ND = No Discharge		PH = Acidic/ Alkiline				

For the purposes of condition M2.1 of the Licence and the 'Special Frequency 1' means:

(a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge; and

(b) when rainfall causes a discharge from a basin which has not been emptied within 5 days of the cessation of a rainfall event.